



Decade of Co. de	ADO OUR OZIO
Product Code	ARC-CHR-87191
Description	3 hole Basin Mixer with pop-up-waste
Flow Rate	14.38 LPM @ 3 bar
Recommended	O. F. Dov.
Water Pressure	0.5 Bar - 5 Bar
	Brass Ingots as per IS:1264-1997
	Cu (58.0-63.0), Sn (0.0-1.0), Pb (0.5-2.5), Ni (0.0-1.0), Al (0.2-0.8), Mn (0.0-0.5), Total Impurity (0.0-2.0),
Brass Specification in	
Percentage	
. or cornage	Brass Rod as per IS:319-1989
	Cu (56.0-59.0), Pb (2.0-3.5), Fe (0.0-0.35), Total Impurity (0.0-0.7), Zn (Remainder)
	Cu (50.0-53.0), Fb (2.0-5.3), Fe (0.0-0.53), Total impurity (0.0-0.7), Zir (hernainder)
Contridos	Fittings: Components have WRAS Approved for food grade conformity with Brass Housing and Spindle
Cartridge	Life Cycle EN 200: 200,000 cycles (Standard)
Specification	- 5.0 LAC Cycles as per EN 200*
	· · ·
Accessories incl.	Pop-up waste 11/4"
Water Tightness	16 bar (Pass)
Pressure Resistance	25 bar (Pass)
	Plating: Nickel-10.0 micron Chromium-0.3 micron
Finish	Salt Spray (500 hrs + Validated)
	Adhesion (Pass)
Available Colour	Antique Bronze (ABR), Antique Copper (ACR), Black Chrome (BCH), Black Matt (BLM), Gold Dust (GDS),
Finishing	Full Gold (GLD), Graphite (GRF), Stainless Steel Finish (SSF) & White Matt (WHM)

^{*} As per in-house testing done on automatic life cycle testing machine made by Giussain, Italy

DISCLAIMER: Our every effort has been made to ensure factual accuracy, the information presented subject to changes due to requirements in different sites, markets and/ or countries. 10% variation in flow rate may be possible. Jaquar reserves the right to make the necessary amendments at any time without prior notice.